

Department of Finance Purchasing Division

Two Centennial Plaza 805 Central Avenue, Suite 234 Cincinnati, Ohio 45202-1947

## CORRECTION

Reginald E. Zeno Director of Finance

Patrick Duhaney Chief Procurement Officer City Purchasing Agent

**DATE** 03/28/2016

**BUYER** Nathan Dronen

#### **CORRECTION NUMBER 1**

**ORIGINAL INVITATION DATE 03/18/2016** 

Your attention is called on an "Invitation to Bid" mailed from this office under the below reference number and on which it is found necessary to make the following correction.

This correction should be considered in submitting your proposal and should be attached to the original "Invitation to Bid" and made a part there of.

#### **ITEM DESCRIPTION**

#### REFERENCE NUMBER

**BIDS DUE 12:00PM EST** 

Pick Up Trucks / Snow Plow Trucks

162P901339

04/01/2016

## 1) Hereby remove all pricing and specifications (Line Items No. 1-10) and replace with the following:

2) Line No.	Comm. Code	Commodity Description	No. of Units	Unit Price	Extended Price
		2017 Ford F150 Pick Up -			
01	072-01	Conventional Cab (Regular Cab)	1		
		4x4 (or approved equal)			
02		2017 Ford F150 Pick Up –			
	072-01	Extended Cab (Super Cab) 4x4 (or	1		
		approved equal)			
03		2017 Ford F150 Pick Up –			
	072-01	Extended Cab (Super Cab) 2WD	2		
		(or approved equal)			
04		2017 Ford F150 Pick Up Extended			
	072-01	Cab (Super Cab) 4x4 w/1,500#	1		
		Tommy Gate (or approved equal)			
05	072-02	2017 Ford F250 Pick Up -	3		

		Conventional Cab (Regular Cab)		
		(or approved equal)		
06		2017 Ford F250 Pick Up –		
	072-02	Conventional Cab (Regular Cab)	8	
	072-02	w/ 1,500# Tommy Gate (or	0	
		approved equal)		
07		2017 Ford F250 Pick Up – Crew		
	072-02	Cab w/ 1.500# Tommy Gate (or	1	
		approved equal)		
08		2017 Ford F250 Pick Up –		
	072-02	Conventional Cab (Regular Cab)	2	
	072 02	w/ 1,500# Tommy Gate (or	_	
		approved equal)		
09		2017 Ford F350 Pick Up (or		
		approved equal) with stainless		
	072-02	steel dump bodies, snow plow,	7	
		spreader, and lighting per detailed		
		specification		
10		2017 Ford F350 Pick Up (or		
	072-02	approved equal) with fuel transfer	1	
	3,2 02	tank, transfer pump per detailed	_	
		specification.		

#### Line 01 – 2017 Ford F150XL Pickup (or approved equal)

CDECIFICATION	DESCRIPTION	CON	1PLY	LICT DEVIATION
SPECIFICATION	DESCRIPTION	YES	NO	LIST DEVIATION
	POWERTRAIN			
Engino	3.5L V6 Ti-VCT			
Engine:	CNG/LPG Gaseous engine prep package			
Transmission:	6 Speed Automatic			
Drive:	4 Wheel drive			
Fuel:	Gasoline			
Alternator:	Heavy Duty			
GVWR:	5,500 Lbs. minimum			
	CHASSIS			
Brakes:	ABS			
Cab:	Conventional (Regular Cab)			
Bed Length:	8 ft.			
Wheel Base:	141"			
Tires:	Manufacturer Standard			
Steering:	Power			
Rims:	Manufacturer Standard			
Spare Tire:	Full Size			
	EXTERIOR			
Color:	Mfg. standard white			

Skid Plate:	Engine/front suspension	
	INTERIOR	
Color:	Darkest available	
Seating:	Vinyl, 40/20/40 Front Seat	
Flooring:	Vinyl, 40/20/40 Front Seat	
Air Conditioner:	Manual	
Radio:	Standard AM/FM	
Steering Wheel:	Manual Tilt/telescoping	
Windows:	Power	
Door Locks:	Manual	
	SAFETY	
Air Bags:	Driver and front passenger and air	
All Dags.	canopy system	
	OPTIONS	
Backup Alarm:	Dealer or Mfg. installed, integrated	
Keys:	4 sets total	
	Weatherguard Model 179-0-01 Lo-Side,	
Toolbox:	Low Profile Passenger Side, Aluminum	
	Installed	

### Line 02 – 2017 Ford F150XL Pickup (or approved equal)

CDECIFICATION	DESCRIPTION	COMPLY		LIST DEVIATION
SPECIFICATION	DESCRIPTION	YES	NO	LIST DEVIATION
	POWERTRAIN			
Engino	3.5L V6 Ti-VCT			
Engine: Transmission:	CNG/LPG Gaseous engine prep package			
Transmission:	6 Speed Automatic			
Drive:	2 Wheel drive			
Fuel:	Gasoline			
Alternator:	Heavy Duty			
GVWR:	5,500 Lbs. minimum			
	CHASSIS			
Brakes:	ABS			
Cab:	Extended Cab (Super Cab)			
Bed Length:	6 ft.			
Wheel Base:	141"			
Tires:	Manufacturer Standard			
Steering:	Power			
Rims:	Manufacturer Standard			
Spare Tire:	Full Size			
	EXTERIOR			
Color:	Mfg. standard white			
Skid Plate:	Engine/front suspension			

	INTERIOR		
Color:	Darkest available		
Seating:	Vinyl, 40/20/40 Front Seat		
Flooring:	Vinyl, 40/20/40 Front Seat		
Air Conditioner:	Manual		
Radio:	Standard AM/FM		
Steering Wheel:	Manual Tilt/telescoping		
Windows:	Power		
Door Locks:	Manual		
	SAFETY		
Air Bags:	Driver and front passenger and air canopy system		
	OPTIONS		
Backup Alarm:	Dealer or Mfg. installed		
Keys:	4 sets total		
Toolbox:	Weatherguard Model 181-0-01 Aluminum Lo-side Box, Low Profile Passenger Side Installed.		

## Line 03 – 2017 Ford F150XL Pickup (or approved equal)

CDECIFICATION	DECCRIPTION	COMPLY LIST DEVIATION		LIST DEVIATION
SPECIFICATION	DESCRIPTION	YES	NO	LIST DEVIATION
	POWERTRAIN			
Fraince	3.5L V6 Ti-VCT			
Engine:	CNG/LPG Gaseous engine prep package			
Transmission:	6 Speed Automatic			
Drive:	2 Wheel drive			
Fuel:	Gasoline			
Alternator:	Heavy Duty			
GVWR:	5,500 Lbs. minimum			

	CHASSIS	
Brakes:	ABS	
Cab:	Extended Cab (Super Cab)	
Bed Length:	6 ft.	
Wheel Base:	141"	
Tires:	Manufacturer Standard	
Steering:	Power	
Rims:	Manufacturer Standard	
Spare Tire:	Full Size	
	EXTERIOR	
Color:	Mfg. standard white	
Skid Plate:	Engine/front suspension	
	INTERIOR	
Color:	Darkest available	
Seating:	Vinyl, 40/20/40 Front Seat	
Flooring:	Vinyl, 40/20/40 Front Seat	
Air Conditioner:	Manual	
Radio:	Standard AM/FM	
Steering Wheel:	Manual Tilt/telescoping	
Windows:	Power	
Door Locks:	Manual	
	SAFETY	
Air Bags:	Driver and front passenger and air canopy system	
	OPTIONS	
Backup Alarm:	Dealer or Mfg. installed	
Keys:	4 sets total	
Toolbox:	Weatherguard Model 181-0-01 Aluminum Lo-side Box, Low Profile Passenger Side Installed.	

#### Line – 04 2017 Ford F150XL Pickup (or approved equal)

SPECIFICATION	DESCRIPTION	CON	1PLY	LIST DEVIATION
SPECIFICATION	DESCRIPTION	YES	NO	LIST DEVIATION
	POWERTRAIN			
Engine:	3.5L V6 Ti-VCT			
	CNG/LPG Gaseous engine prep package			
Transmission:	6 Speed Automatic			
Drive:	4 Wheel drive			
Fuel:	Gasoline			
Alternator:	Heavy Duty			
GVWR:	5,500 Lbs. minimum			
	CHASSIS			
Brakes:	ABS			
Cab:	Extended Cab (Super Cab)			
Bed Length:	6 ft.			
Wheel Base:	141"			
Tires:	Manufacturer Standard			
Tailgate:	Omit Mfg. Std tailgate			
Steering:	Power			
Rims:	Manufacturer Standard			
Spare Tire:	Full Size			
	EXTERIOR			
Color:	Mfg. standard white			
Skid Plate:	Engine/front suspension			
	INTERIOR			
Color:	Darkest available			
Seating:	Vinyl, 40/20/40 Front Seat			
Flooring:	Vinyl, 40/20/40 Front Seat			
Air Conditioner:	Manual			
Radio:	Standard AM/FM			
Steering Wheel:	Manual Tilt/telescoping			
Windows:	Power			
Door Locks:	Manual			
	SAFETY			
Air Bogs	Driver and front passenger and air			
Air Bags:	canopy system			
	OPTIONS			
Backup Alarm:	Dealer or Mfg. installed, integrated			
Keys:	4 sets total			
Toolboy	Weatherguard Model 123-0-01			
Toolbox:	Aluminum Saddle Box Installed.			

	*Aluminum two piece 1,500# Electric Tommy Gate with toggle switch w/ step		
Power Tailgate:	bumper		
	* In-cab disconnect switch		
	* Underhood circuit breaker		

### Line 05 – 2017 Ford F250XL Pickup (or approved equal)

CDECIFICATION	DECCRIPTION	COMPLY		LICT DEVIATION
SPECIFICATION	DESCRIPTION	YES	NO	LIST DEVIATION
	POWERTRAIN			
Facina	6.2L 2 valve V8			
Engine:	CNG/LPG Gaseous engine prep package			
Transmission:	6 Speed Automatic			
Drive:	2 Wheel drive			
Fuel:	Gasoline			
Alternator:	200 Amp, Heavy-Duty			
GVWR:	10,000 Lbs.			
Front Axle:	Twin I-beam front axle w/coil spring suspension (narrow front track) 4x2			
Rear Axle:	Non-limited slip			
	CHASSIS			
Brakes:	4 wheel disc anti-lock brake system			
Trailer Brake Controller:	Manufacturer Installed option, integrated			
Cab:	Conventional (regular cab)			
Bed Length:	8'			
Wheel Base:	137"			
Towing:	Trailer tow package 7 wire harness with relays and 7 pin connector w/ Receiver-type trailer hitch			
Tailgate:	Omit Mfg. Std tailgate			
Spare Tire:	Full Size			

	EXTERIOR		
Color:	Mfg. standard white		
Tires:	LT245/75Rx17E BSW A/S DRW		
Wheels:	17" Argent paint steel w/painted hub covers		
Mirrors:	Manually telescoping 2 way fold trailer tow with manual glass		
	INTERIOR		
Color:	Darkest available		
Seating:	Vinyl 40/20/40 split bench seat		
Flooring:	Vinyl		
Air Conditioner:	Manual		
Radio:	Standard AM/FM		
Windows:	Power		
Steering Wheel:	Manual Tilt/telescoping		
Door Locks:	Power		
	SAFETY		
Air Bags	Driver and front passenger and air canopy system		
	OPTIONS		
Power Tailgate:	*Aluminum two piece 1,500# Electric Tommy Gate with toggle switch w/ step bumper * In-cab disconnect switch * Underhood circuit breaker		
Running Board	6" angular black molded in color running board	 	 
Cab Protector:	Model 1904-3-02 Protect-A-Rail Cab Protector - White		
Backup Alarm:	Dealer or Mfg. Installed		
Bed Liner:	Spray-in bed liner, to include tailgate-guard, tie- down hooks, and black bed attachment bolts		

### Line 06 – 2017 Ford F250XL Pickup (or approved equal)

CDECIFICATION	DESCRIPTION	COMPLY		LICT DEVIATION	
SPECIFICATION	DESCRIPTION	YES	NO	LIST DEVIATION	
	POWERTRAIN				
Engine:	6.2L 2 valve V8				
	CNG/LPG Gaseous engine prep package				
Transmission:	6 Speed Automatic				
Drive:	2 Wheel drive				
Fuel:	Gasoline				
Alternator:	200 Amp, Heavy-Duty				
GVWR:	10,000 Lbs.				
Front Axle:	Twin I-beam front axle w/coil spring suspension (narrow front track) 4x2				
Rear Axle:	Non-limited slip				
	CHASSIS				
Brakes:	4 wheel disc anti-lock brake system				
Trailer Brake Controller:	Manufacturer Installed option, integrated				
Cab:	Conventional (regular cab)				
Bed Length:	8'				
Wheel Base:	137"				
Towing:	Trailer tow package 7 wire harness with relays and 7 pin connector w/ Receiver-type trailer hitch				
Tailgate:	Omit Mfg. Std tailgate				
Spare Tire:	Full Size				

	EXTERIOR		
Color:	Mfg. standard white		
Tires:	LT245/75Rx17E BSW A/S DRW		
Wheels:	17" Argent paint steel w/painted hub covers		
Mirrors:	Manually telescoping 2 way fold trailer tow with manual glass		
	INTERIOR		
Color:	Darkest available		
Seating:	Vinyl 40/20/40 split bench seat		
Flooring:	Vinyl		
Air Conditioner:	Manual		
Radio:	Standard AM/FM		
Windows:	Power		
Steering Wheel:	Manual Tilt/telescoping		
Door Locks:	Power		
	SAFETY		
Air Bags	Driver and front passenger and air canopy system		
	OPTIONS		
Power Tailgate:	*Aluminum two piece 1,500# Electric Tommy Gate with toggle switch w/ step bumper * In-cab disconnect switch * Underhood circuit breaker		
Cab Protector:	Model 1904-3-02 Protect-A-Rail Cab Protector - White		
Backup Alarm:	Dealer or Mfg. Installed		

Bed Liner:	Spray-in bed liner, to include tailgate-guard, tie-down hooks, and black bed attachment bolts						
------------	---	--	--	--	--	--	--

### Line 07 – 2017 Ford F250XL Pickup (or approved equal)

CDECIFICATION	DESCRIPTION	COMPLY		LICT DEVIATION
SPECIFICATION	DESCRIPTION	YES	NO	LIST DEVIATION
	POWERTRAIN			
Engino	6.2L 2 valve V8			
Engine:	CNG/LPG Gaseous engine prep package			
Transmission:	6 Speed Automatic			
Drive:	2 Wheel drive			
Fuel:	Gasoline			
Alternator:	200 Amp, Heavy-Duty			
GVWR:	10,000 Lbs.			
Front Axle:	Twin I-beam front axle w/coil spring suspension (narrow front track) 4x2			
Rear Axle:	Non-limited slip			
	CHASSIS			
Brakes:	4 wheel disc anti-lock brake system			
Trailer Brake Controller:	Manufacturer Installed option, integrated			
Cab:	Crew Cab			
Bed Length:	8'			
Wheel Base:	137"			
Towing:	Trailer tow package 7 wire harness with relays and 7 pin connector w/ Receiver-type trailer hitch			
Tailgate:	Omit Mfg. Std tailgate			
Spare Tire:	Full Size			
	EXTERIOR			
Color:	Mfg. standard white			
Tires:	LT245/75Rx17E BSW A/S DRW			
Wheels:	17" Argent paint steel w/painted hub covers			

	Manually telescoping 2 way fold trailer	
Mirrors:	tow with manual glass	
	INTERIOR	
Color:	Darkest available	
Seating:	Vinyl 40/20/40 split bench seat	
Flooring:	Vinyl	
Air Conditioner:	Manual	
Radio:	Standard AM/FM	
Windows:	Power	
Steering Wheel:	Manual Tilt/telescoping	
Door Locks:	Power	
	SAFETY	
Air Bags	Driver and front passenger and air canopy	
	system OPTIONS	
	*Aluminum two piece 1,500# Electric	
	Tommy Gate with toggle switch w/ step	
Power Tailgate:	bumper	
	* In-cab disconnect switch  * Underhood circuit breaker	
Running Board	6" angular black molded in color running board	
Cab Protector:	Model 1904-3-02 Protect-A-Rail Cab Protector - White	
Backup Alarm:	Dealer or Mfg. Installed	
Bed Liner:	Spray-in bed liner, to include tailgate- guard, tie-down hooks, and black bed attachment bolts	

#### Line 08 – 2017 Ford F250XL Pickup (or approved equal)

SDECIEICATION	DESCRIPTION	CON	ЛРLY	LIST DEVIATION
SPECIFICATION		YES	NO	LIST DEVIATION
	POWERTRA	IN		
	6.2L 2 valve V8			
Engine:	CNG/LPG Gaseous engine prep			
	package			
Transmission:	6 Speed Automatic			

Fuel: Gasoline	
Alternator: 200 Amp, Heavy-Duty	
GVWR: 10,000 Lbs.	
Twin I-beam front axle w/coil spring	
suspension (narrow front track) 4x2	
Rear Axle: Non-limited slip	
CHASSIS	
Brakes: 4 wheel disc anti-lock brake system	
Trailer Brake Manufacturer Installed option,	
Controller: integrated	
Cab: Conventional (Regular Cab)	
Bed Length: 8'	
Wheel Base: 137"	
Trailer tow package 7 wire harness	
Towing: with relays and 7 pin connector w/	
Receiver-type trailer hitch	
Tailgate: Omit Mfg. Std tailgate	
Spare Tire: Full Size	
EXTERIOR	
Color: Mfg. standard white	
Tires: LT245/75Rx17E BSW A/S DRW	
Wheels: 17" Argent paint steel w/painted hub	
covers	
Mirrors: Manually telescoping 2 way fold trailer	
tow with manual glass	
INTERIOR  Colors  Dowlood available	
Color: Darkest available	
Seating: Vinyl 40/20/40 split bench seat	
Flooring: Vinyl	
Air Conditioner: Manual  Partial  Standard ANA/5NA	
Radio: Standard AM/FM	
Windows: Power	
Steering Wheel:  Manual Tilt/telescoping	
Door Locks: Power	
SAFETY	
Driver and front passenger and air	
Air Bags canopy system	
OPTIONS	
*Aluminum two piece 1,500# Electric	
Tommy Gate with toggle switch w/	
Power Tailgate: step bumper	
* In-cab disconnect switch	
* Underhood circuit breaker	

Cab Protector:	Model 1904-3-02 Protect-A-Rail Cab Protector - White		
Backup Alarm:	Dealer or Mfg. Installed	•	
Bed Liner:	Spray-in bed liner, to include tailgate- guard, tie-down hooks, and black bed attachment bolts		

# Line 09 – 2017 Ford F350XL Pickup (or approved equal) with aluminum dump bodies, snow plow, spreader and lighting per detailed specification.

SPECIFICATION	DESCRIPTION	COMPLY		LIST DEVIATION
SPECIFICATION	DESCRIPTION	YES	NO	LIST DEVIATION
	POWERTRAIN			
Engine:	6.2L			
_	CNG/LPG Gaseous engine prep package			
Transmission:	6 Speed Automatic			
Drive:	4 Wheel drive			
Fuel:	Gasoline			
Alternator:	Heavy Duty			
GVWR:	10,000 Lbs.			
Hubs:	Manually locking			
Axle:	Electric Locking/Non-Limited Slip			
	CHASSIS			
Brakes:	4 wheel disc antilock brake system			
Trailer Break	Manufacturer installed option, integrated			
Controller				
Cab:	Conventional (Regular Cab)			
Bed Length:	8'			
Wheel Base:	137"			
Snow Plow Prep	Factory installed snow plow prep option.			
Tires:	LT245/75Rx17E BSW A/S (5-SRW / 7-DRW)			
Rims:	17" Argent paint steel w/painted hub covers			
Towing:	Trailer tow package 7 wire harness with relays and 7 pin connector w/ Receiver-type trailer hitch			
Spare Tire:	Full Size			
	EXTERIOR			
Color:	Mfg. standard white			
Body Side Molding:	Mfg. Standard			
Bumper	Rear bumper			
Mirrors:	Manually telescoping 2 way fold trailer tow with manual glass			

Running Board	6" angular black molded in color running board		
Tailgate	Delete per options listed below		

	INTERIOR
Color:	Darkest available
Seating:	Vinyl 40/20/40 split bench seat
Flooring:	Vinyl
Air Conditioner:	Manual
Radio:	Standard AM/FM
Windows:	Power
Door Locks:	Power
	SAFETY
Air Bags	Driver and front passenger and air canopy
All bags	system
	OPTIONS
Backup Alarm:	Dealer or Mfg. Installed integrated
Keys	4 sets with FOB
Dump Insert	TRUCK CRAFT #TC-121 Aluminum Dump
	Insert 12 Volt electric with following:
	*Aluminum construction #5052 sheet, with
	#6061 extrusions
	* Capacity lifting 7000 lbs., 2.4 cubic yds.
	capacity
	*Telescopic trunnion cylinder 3 stage power
	raise, gravity lower
	*Factory steel sub-frame square tube design
	*Body equipped with 6 tie down hooks, 3
	per side
	* Factory swing-a-way sideboard kit # C2-
	01803; factory cab guard # D2-05357
	*Tailgate functions, top hinge, bottom
	hinge, horizontal, removable
	*OSHA body safety prop
	*12 volt power pack with in cab controller
	and in-line breaker

Snow Plow	Western 8.0 Pro Plus Snow Plow Package			
	*Snow plow package 8.0' long X 31" blade height powder coated red finish flexible markers.			
	*All high carbon steel other than moldboard is black powder coated finish.			
	*Eight (8) vertical ribs, four (4) heavy duty trip springs.			
	*Cutting edge is 1/2" X 6" X 8' high carbon steel reversed rubber cutting edge.			
	*Two power angling rams 1-1/2"X12".			
	*Lift arm provides 35 degrees travel for additional snow stacking.			
	*Contoured lift frame, adjustable quick attach/detach mounting hitch with locking hardware. Adjustable cast shoes.			
	*High-performance 12 volt self-contained power pack, in cab digital touch controller halogens plow lights with *high and low beams, parking lamps and turn signals.			
	*Snow plow will be complete with mounting kit, sector and A-frame, lift frame and all hardware.			
	*Factory two (2) year warranty.			

Salt Spreader	TRUCK CRAFT # TC-130 tailgate replacement spreader w/12 volt sealed motors, w/cab controller shall be:		
	*(ECU) back light for night operations.		
	* Speeder unit designed to spread materials up to 3/4" diameter.		
	* Auger housing aluminum and stainless steel, rear lift up clean out cover.		
	* Spinner shall quick mount type with power cable & molded plug & cover.		
	* Auger feed mechanism 3/16" 304 stainless steel flighting weld to 2" stainless 40 stainless pipe, with right and left sealed lubed bearings. Auger driven with 60 roller chain with 12 volt drive.		
	*Factory warranty one (1) year of delivery to customer.		

# Line 10 - 2017 Ford F350XL Pickup (or approved equal) with fuel transfer tank per detailed specification.

SPECIFICATION	DESCRIPTION	CON	1PLY	LICT DEVIATION
		YES	NO	LIST DEVIATION
	POWERTRAIN			
Facina	6.2L			
Engine:	CNG/LPG Gaseous engine prep package			
Transmission:	6 Speed Automatic			
Drive:	4 Wheel drive			
Fuel:	Gasoline			
Alternator:	Heavy Duty			
GVWR:	10,000 Lbs.			
Hubs:	Manually locking			
Axle:	Electric Locking/Non-Limited Slip			
	CHASSIS			
Brakes:	4 wheel disc antilock brake system			
Trailer Break	Manufacturer installed option, integrated			
Controller				
Cab:	Conventional (Regular Cab)			
Bed Length:	8'			
Wheel Base:	137"			

Tires:	LT245/75Rx17E BSW A/S (5-SRW / 7-DRW)		
Rims:	17" Argent paint steel w/painted hub covers		
	Trailer tow package 7 wire harness with relays		
Towing:	and 7 pin connector w/ Receiver-type trailer		
- 0	hitch		
Tailgate:	Omit Mfg. Std tailgate		
Spare Tire:	Full Size		
	EXTERIOR		
Color:	Mfg. standard white		
Body Side	_		
Molding:	Mfg. Standard		
Bumper	Rear bumper		
·	Manually telescoping 2 way fold trailer tow with		
Mirrors:	manual glass		
Running Board	6" angular black molded in color running board		
Tailgate	Delete per options listed below		
	INTERIOR		
Color:	Darkest available		
Seating:	Vinyl 40/20/40 split bench seat		
Flooring:	Vinyl		
Air Conditioner:	Manual		
Radio:	Standard AM/FM		
Windows:	Power		
Door Locks:	Power		
	SAFETY		
Air Bags	Driver and front passenger and air canopy		
	system		
	OPTIONS		
Backup Alarm:	Dealer or Mfg. Installed integrated		
Keys	4 sets with FOB		
Cab Protector:	Model 1904-3-02 Protect-A-Rail Cab Protector -		
Cap Protector:	White		
Bed Liner:	Spray-in bed liner, to include tailgate-guard, tie-		
Deu Liliei.	down hooks, and black bed attachment bolts		
Power Tailgate:	*Aluminum two piece 2,000# Electric Tommy		
	Gate with toggle switch w/ step bumper		
	* In-cab disconnect switch		
	* Underhood circuit breaker		

Fuel Transfer Tank:	Heavy Duty 11 GA. Steel, Fuel Transfer Tank 200 gallon capacity (62" long X 28" wide X 28" high) Painted Factory White Overfill restriction to allow for automatic shutoff at the pump Dual, flush mounted and reinforced "bungs" Lockable cap and coupler Internal baffles to reduce shifting of fuel Fully welded mounting brackets Three Year Warranty			
Fuel Transfer Pump:	Fill-Rite #FR1210G Transfer Pump (or equivalent)  •Up to 15 GPM  •1/4 HP motor  •UL/cUL listed motor  •Compatible with Diesel, Gasoline, Kerosene, E15, Biodiesel up to B20  •2 year warranty  •2 in. threaded base for tank mounting  •Heavy duty cast iron construction  •Cast bronze rotor with bronze rotary vanes  •Built-in strainer  •12 ft. hose with static wire			
In-Line Meter	Fill-Rite #FR1118A10 Digital In-Line Meter (or equivalent)  •3 - 26 GPM (11 - 98 LPM)  •50 psi (3,4 bar)  •1 in. inlet and outlet  •Five digit readout with resettable totalizer  •+/- 1% accuracy  •Turbine measuring system  •One year warranty  •Install either in-line or at the end of the delivery hose  •Made out of anodized aluminum  •Measures in gallons, liters, quarts and pints  •Compatible with diesel and kerosene			
In-Line Filter/Kit:	Fill-Rite #1210KTF7019 Filter/Kit  10 Micron Filter  18 GPM			